

Safety Data Sheet



Product name:

Oxidising solid, part of an oxygen generator

Document No: LB01-00406


Issue: 3

Revision date: 20 May 2025

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Prepared according to GB CLP which is the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain

I SECTION 1: IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY		
1.1	Product identifier	Substance name: MPOG Mk II and EO2-30
	Unique Formula Identifier (UFI)	XH00-W0SR-E007-CGVF
1.2	Relevant identified uses of the substance or mixture and uses advised against	Relevant identified uses: A source of oxygen for life support or industrial applications Uses advised against: Reason why uses advised against:
1.3	Details of the supplier of the safety data sheet	Molecular Products Ltd Parkway, Harlow Business Park, Harlow, Essex, CM19 5FR, UK +44 (0) 1279 445111 (I) sds@molprod.com (I) Only available during office hours 0900 – 1700 GMT
1.4	Emergency telephone number	+44 (0)1865 407333 (English speaking) +86 0532 8388 9090 (China NRCC) +52 555 004 8763 (Mexico) +56 225 829 336 (Chile) +55 11 3197 5891 (Brazil)

2	SECTION 2: HAZARDS IDENTIFICATION				
2.1	Classification of the substance or mixture				
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP/GHS)				
	Ox Sol I	H271		Aquatic Chronic 2	H411
	Acute Tox. 4	H302			
2.1.2	Additional information – see section 16 for full text of H statements				
2.2	Label elements				
2.2.1	Labelling in accordance with EC Regulation No 1272/2008 (CLP/GHS)				
	Hazard pictogram(s)		Signal word	DANGER	
	Hazard statements				
	H271	May cause fire or explosion; strong oxidiser			
	H302	Harmful if swallowed			
	H411	Toxic to aquatic life with long lasting effects			
	Precautionary statements				
	P220	Keep/store away from organic and combustible materials.			
	P270	Do not eat, drink or smoke when using this product			
	P273	Avoid release to the environment			
	P391	Collect spillage			
	P301/312	If swallowed: call a poison centre or doctor/physician if you feel unwell			
	P371/380/375	In case of fire: evacuate area. Fight fire remotely due to the risk of explosion			
	Supplemental Hazard information (EU)				
2.3	Other hazards				
	None known				

3	SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS							
3.2	Mixtures							
	Chemical characterisation	Mixture of inorganic substances						
	Chemical name	CAS No	Index No.	REACH registration No.	EC No.	Classification according to Regulation (EC) No 1278/2008 (CLP)	% [weight]	SCL, M-factor, ATE
	Sodium Chlorate	7775-09-9	017-005-00-9	01-2119474389-23-XXXX	231-887-4	Ox Sol. 1 H271, Acute Tox. 4 H302 Aquatic Chronic 2 H411	≥85%	No data
	Barium Peroxide	1304-29-6	056-001-00-1	01-2120772609-41-XXXX	215-128-4	Ox Sol. 2 H272 Acute Tox. 4 H332 Acute Tox. 4 H302	<4%	No data
	Iron Powder	7439-89-6		01-2119462838-24-XXXX	231-096-4		<8%	No data

4	SECTION 4: FIRST AID MEASURES	
4.1	Description of first aid measures	
	General notes	
	Following inhalation	Remove casualty to fresh air and provide warmth and rest
	Following skin contact	Clean areas of skin affected immediately with soap and plenty of water. If necessary, seek medical advice
	Following eye contact	Immediately wash out eye thoroughly with plenty of water until irritation subsides. If necessary, consult an eye specialist/ophthalmologist
	Following ingestion	If swallowed, do NOT induce vomiting. Drink plenty of water and, if necessary, seek medical advice
	Self-protection of the first aider	If the atmosphere is dusty ensure that there is sufficient LEV or suitable respiratory protective equipment is used.
4.2	Most important symptoms and effects, both acute and delayed	None known
4.3	Indication of any immediate medical attention and special treatment needed	Treatment as described above

5	SECTION 5: FIREFIGHTING MEASURES	
5.1	Extinguishing media	Suitable extinguishing media: Flood with water. Unsuitable extinguishing media: Do NOT use foam
5.2	Special hazards arising from the substance or mixture	Liberates oxygen if heated above 300°C. May cause fire or an explosion if in contact with combustible materials Hazardous combustion products:
5.3	Advice for fire fighters	Self-contained breathing apparatus may be required. Use water spray to cool fire-exposed containers.

6	SECTION 6: ACCIDENTAL RELEASE MEASURES	
6.1	Personal precautions, protective equipment and emergency procedures	For non-emergency personnel: - Protective equipment: Adhere to personal protective measures - Emergency procedures: No data For emergency responders: Adhere to personal protective measures
6.2	Environmental precautions	Do not allow to get into wastewater or waterways; if this occurs, inform the relevant water authority at once
6.3	Methods and materials for containment and cleaning up	For containments: No data For cleaning up: In the event of spillage, take up large and small fragments mechanically (e.g. sweep or vacuum up, small fragments being first treated with damp sand) into tightly closed containers. Adhere to personal protective measures. Label container and dispose of as prescribed. Do NOT sweep up dry dust (possibility of explosion) Other information
6.4	Reference to other sections	See section 8 for personal protective equipment

7	SECTION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Protective measures: Handle in accordance with good hygiene and safety practice. Avoid the raising and deposition of dust

		Measures to prevent fire: No data Measures to prevent aerosol and dust generation: No data Measures to protect the environment: No data Advice on general occupational hygiene: No data
7.2	Conditions for safe storage, including any incompatibilities	Technical measures and storage: No data Packaging materials: No data Requirements for storage rooms and vessels: Ensure adequate ventilation of the storage area. Keep containers tightly closed, cool and dry, avoiding direct sunlight and away from organic, oxidising combustible materials and strong acids Storage class: - Further information on storage conditions:
7.3	Specific end use(s)	Recommendations; See section 1.2 Industrial sector specific solutions:

8	SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION									
8.1	Control parameters									
	Workplace Exposure Limits (WELs) have been assigned by the HSE (EH40/2005)									
	TWA (8 hours)	ppm	0.5		mg/m³		Barium compounds (soluble)			
	TWA (8 hours)	ppm	0.1		mg/m³		Data for phosphorous			
	STEL (15 mins)	ppm	0.3		mg/m³		Data for phosphorous			
	Substance name	Sodium Chlorate								
	EC number	231-887-4			CAS number		7775-09-9			
	DNELs									
		Workers				Consumers				
	Route of exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic	
	Oral	Not required				No hazard identified	No hazard identified	No hazard identified	0.05mg/kg bw /day	
	Inhalation	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	Inhalation	No hazard identified	No hazard identified	
	Dermal	No hazard identified	No hazard identified	No hazard identified	3.08 mg/kg bw/day	No hazard identified	Dermal	No hazard identified	No hazard identified	
	PNECs									
	Environmental protection target					PNEC				
	Fresh water					1 mg/L				
	Freshwater sediments					No hazard identified				
	Marine water					1 mg/L				
	Marine sediments					No hazard identified				
	Food chain					0.01 g/kg food				
	Microorganisms in sewage treatment					100 mg/L				
	Soil (agriculture)					3.33 mg/kg soil dw				
	Air					No hazard identified				
	Substance name	Barium Peroxide								
	EC number	215-128-4			CAS number		1304-29-6			
	DNELs									
		Workers				Consumers				
	Route of exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic	
	Oral	Not required				No data	No data	No data	No data	
	Inhalation	No data	No data	No data	No data	No data	No data	No data	No data	
	Dermal	No data	No data	No data	No data	No data	No data	No data	No data	
	PNECs									
	Environmental protection target					PNEC				
	Fresh water					No data				
	Freshwater sediments					No data				
	Marine water					No data				

	Marine sediments					No data			
	Food chain					No data			
	Microorganisms in sewage treatment					No data			
	Soil (agriculture)					No data			
	Air					No data			
	Substance name	Iron Powder							
	EC number	231-096-4			CAS number		7439-89-6		
	DNELs								
		Workers				Consumers			
	Route of exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic
	Oral	Not required				No hazard identified	No hazard identified	No hazard identified	0.71 mg/kg bw/day
	Inhalation	No hazard identified	No hazard identified	3 mg/m ³	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified
	Dermal	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified	No hazard identified
	PNECs								
	Environmental protection target					PNEC			
	Fresh water					No data; aquatic toxicity unlikely			
	Freshwater sediments					Insufficient hazard data available (further information necessary)			
	Marine water					No data; aquatic toxicity unlikely			
	Marine sediments					Insufficient hazard data available (further information necessary)			
	Food chain					Insufficient hazard data available (further information necessary)			
	Microorganisms in sewage treatment					No data; aquatic toxicity unlikely			
	Soil (agriculture)					Insufficient hazard data available (further information necessary)			
	Air					No hazard identified			
8.2	Exposure controls								
	Appropriate engineering controls		Substance/ mixture related measures to prevent exposure during identified uses: Structural measures to prevent exposure: Provide adequate ventilation (e.g. local exhaust ventilation) Organisational measures to prevent exposure: No data Technical measures to prevent exposure: No data						
	Personal protection equipment		Observe normal standards for handling chemicals Wash hands before breaks and after work Avoid contact with skin and eyes. Avoid inhalation of dust if raised Wear personal protective equipment appropriate to the task (see below)						
	Eye and face protection		Safety goggles if risk of eye contamination; BS EN 166:2002						
	Skin protection		Hand protection: Rubber gloves to protect against a strong oxidiser, at least; EN ISO374-1/A Other skin protection: Protective overalls; a disposable paper suit.						
	Respiratory protection		Approved dust mask or respirator (e.g. EN 149:2001 FFP3) for dust if ventilation is insufficient						
	Thermal hazards								
	Environmental exposure controls		Substance/mixture related measures to prevent exposure: No data Instruction measures to prevent exposure: No data Organisational measures to prevent exposure: No data Technical measures to prevent exposure: No data						

9	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Basic physical and chemical properties			
	Physical state	Solid	Colour	Grey
	Odour	Odourless	pH	Not determined
	Boiling pt/range	Not determined. Decomposes at approx. 300°C	Melting point/freezing point	Approx. 200°C
	Flash point	Not applicable	Relative density	2.0g/cm ³
	Solubility	Partial	Odour threshold	Not applicable
	Evaporation rate	Not applicable	Flammability	Not applicable
	Lower and upper explosion limit	Not applicable	Vapour pressure	Not applicable
	Relative vapour density	Not applicable	Partition coeff. LogPoct/water	Not applicable
	Auto-ignition temperature	Not applicable	Kinematic viscosity	Not applicable

	Explosive properties	Not determined	Oxidising properties	Not determined
	Decomposition temperature	Not determined	Particle characteristics	Not Determined
9.2	Other information	Strong oxidiser		



10	SECTION 10: STABILITY AND REACTIVITY			
10.1	Reactivity	Can burn with exploding violence if in contact with fuels or organic material		
10.2	Chemical stability	Stable under normal conditions of handling		
10.3	Possibility of hazardous reactions	Decomposes to form oxygen on heating or ignition (friction or impact can cause ignition)		
10.4	Conditions to avoid	Contact with water and organic materials		
10.5	Incompatible material	Organic material		
10.6	Hazardous decomposition products	Chlorine and chlorine dioxide can be evolved following contact with strong acids		

11	SECTION 11: TOXICOLOGICAL INFORMATION						
11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008 (results for sodium chlorate)						
	Hazard class	Method	Species	Route of exposure	Effective dose	Exposure time	Results
	Acute toxicity	LD ₅₀	rabbit	Oral	1200 mg/kg		Data for sodium chlorate
	Skin corrosion/irritation	Sodium chlorate is only mildly irritating to skin.					
	Serious eye damage/irritation	Sodium chlorate is only mildly irritating to eyes					
	Respiratory or skin sensitisation	Sodium chlorate is only mildly irritating to the respiratory tract.					
	Germ cell mutagenicity	No adverse effects were observed in the Ames Test.					
	Reproductive toxicity	NOAEL 5 mg/kg bw /day female mice 2-year study					
	Summary of evaluation of the CMR properties	NOAEL 70 mg/kg bw/day two generation female mice					
	STOT-single exposure	Studies show that sodium chlorate shows no indication of CMR properties					
	STOT-repeated exposure	Despite the low acute toxicity in animals, LD ₅₀ 5000 mg/kg, sodium chlorate is considered as harmful to humans due to available data on human lethal effects. Sodium chlorate is classified as Acute Tox. 4.					
	Aspiration hazard	NOAEL 100 mg/kg bw/day 90-day study. Rat, oral					
11.2	Information on other hazards	Not classified.					

12	SECTION 12: ECOLOGICAL INFORMATION	
12.1	Toxicity (Sodium chlorate)	
	Acute (short-term) toxicity	Fish: LC50 >1000 mg/L Crustacea: EC50 shell growth >1000 mg/L Algae/aquatic plants: Other organisms: EC50 freshwater invertebrates >1000 mg/L
	Chronic (long-term) toxicity	Fish: NOEC =>500 mg/L Crustacea: Algae/aquatic plants: NOEC 10 mg/L Other organisms: NOEC 500 mg/L (<i>Daphnia magna</i>)
12.2	Degradability	Abiotic Degradation: Physical- and photo-chemical elimination: Biodegradation: No data
12.3	Bio-accumulative potential	Partition coefficient n-octanol /water (log Kow): log Pow < minus 2.9 at 20°C Bioconcentration factor (BCF):
12.4	Mobility in soil	Known or predicted distribution to environmental compartments: Surface tension: Adsorption/Desorption:
12.5	PBT/vPvB assessment	Not applicable
12.6	Endocrine disrupting properties	Not applicable.
12.7	Other adverse effects	Risk of damage to plant life. Do not allow to get into wastewater or waterways. If this occurs, inform the relevant water authority at once

13	SECTION 13: DISPOSAL CONSIDERATIONS	
13.1	Waste treatment methods	

	Product/packaging disposal	If possible, recycle to supplier or approved recycling company. If not (e.g. designated as waste), dispose of in accordance with national and local authority regulations, e.g. The Hazardous Waste (England & Wales) Regulations 2005. Treat empty containers in the same way as the product: if possible, wash out thoroughly and recycle. Waste codes/ waste designations according to LoW:
	Waste treatment-relevant information	
	Sewage disposal-relevant information	No data
	Other disposal recommendations	No data

14	SECTION 14: TRANSPORT INFORMATION				
14.1	UN number or ID number	UN 1479	14.2	UN proper shipping name	UN1479 Oxidising Solid n.o.s. (sodium chlorate, barium peroxide)
14.3	Transport hazard class(es)	5.1 	14.4	Packing group	II
14.5	Environmental hazards	The product should be marked as a marine pollutant 	14.6	Special precautions for user	Not applicable
14.7	Maritime transport in bulk according to IMO instruments	Not applicable			

15	SECTION 15: REGULATORY INFORMATION	
15.1	Safety, health and environmental regulations	
	The SDS has been updated in accordance with EC Regulation No 1272/2008 (CLP/GHS)	
15.2	Chemical safety assessment	
	No Chemical Safety Assessment has been carried out for this mixture by the supplier	

16	SECTION 16: OTHER INFORMATION	
	Indication of changes	This SDS has been revised in accordance with EC Regulation 1272/2008 (CLP) and in response to a change in Annex II REACH regulations, June 2020.
	Abbreviations and acronyms	None
	Key literature references and sources for data	Other suppliers' safety data sheets, Annex VI of the CLP Regulation (EC) No 1272/2008, EH40 (2020)
	Prepared by	Dr Patricia Wormald, Molecular Products, PW@molprod.com Neil Stearn, Cambridge Environmental Assessments; neil.stearn@cea-res.co.uk
	Date of issue	30 August 2021
	Classification according to Regulation (EC) No 1272/2008	Classification procedure
	Ox Sol 1 H271	
	Acute Tox. 4 H302	
	Aquatic Chronic 2 H411	
	Relevant H statements (number and full text)	H271: May cause fire or explosion; strong oxidiser H302: Harmful if swallowed H411: Toxic to aquatic life with long lasting effects H272: May intensify fire; oxidiser H332: Harmful if inhaled
	Further information	Comply with COSHH Regulations This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific problems